

Quotation Request //

US Government Printing Office

Philadelphia Regional Office
928 Jaymore Road, Suite A-190
Southampton PA 18966-3820

JACKET:504-867

Quotations are Due By:

(Eastern Time) 11:00 AM on 03/25/2009

Submit Fax Quotes to: (215) 364-6479

Contractors must provide mandatory taxpayer information before GPO makes payment.

Please see special notice on <http://contractorconnect.gpo.gov/>.

TITLE: EVIDENCE TAG, DON

QUANTITY: 12500 Plus 3 Department Samples

TRIM SIZE: 5-1/2 X 3"

SCHEDULE:

Furnished Material will be available for pickup by 03/25/2009

Deliver complete (to arrive at destination) by 04/20/2009

F.O.B. destination

QUALITY LEVEL: 4 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

DESCRIPTION:

Pressure sensitive label -- prints face only in Pantone 185 Red ink. Type and rule. No bleeds. Back of label to be coated with a REMOVABLE type pressure sensitive adhesive and mounted on a suitable slit backing sheet.

GPO Publication 310.2, GPO Contract Terms, Contract Clause 5. Disputes, is hereby replaced with the June 2008 clause found at www.gpo.gov/printforms/pdf/contractdisputes.pdf. This June 2008 clause also cancels and supersedes any other disputes language currently included in existing contractual actions.

MATERIAL FURNISHED: Contractor to pickup at GPO. 1-CDR Disk with native file in Adobe InDesign, and PDF file, plus font files; 3 previous sampleS; Camera Copy for Warehouse Unit of Issue Label; Delivery Instructions; Labeling & Marking Specs., GPO 905 label.

PAPER: * Must be in accordance with JCP Paper Specification Standards in effect on date of this order
White Uncoated Label Paper Basis Weight 60

COLOR OF INK: Ink Must Contain a Minimum of 20% Vegetable Oil

Pantone 185 Red

PRINT PAGE: One Side Only

MARGINS: Follow Copy Sample. Adequate Gripper.

FACE: Head: 1/4" **Left:** Center **Right:** Center

PROOFS: proofs will be withheld not more than 0 days.

Government to receive in contractor's plant. Contractor must not print prior to receipt of an 'OK to print'.

BINDING:

Trim 4 sides.

PACKING:

Kraft wrap in units of 100 labels per wrap.

Kraft Wrapping, Labeling, Carton & Pallet Specifications for Warehouse in St. Louis, MO

This job must be kraft wrapped. Kraft wrap must be a minimum of 60 Lb. Paper. Envelopes of this weight can also be used as appropriate. Stock must be strong enough to prevent tearing or bursting under normal

use such as warehouse handling, mailing, shipping, etc. NO SCOTCH OR PLASTIC ADHESIVE TAPE MAY BE USED TO SEAL KRAFT WRAPPED PACKAGES.

Warehouse "Unit of Issue" labels must be affixed to the outside of kraft package. It may be placed on the ends of the packages, if possible, or on the face of package in the lower left area of the package. Camera ready label art is provided to produce this label. This label art may be reduced in size to fit the package, as long as the type remains legible.

Reproduce "Unit of Issue" labels for each kraft wrap package at approximately 3 X 5". Print on 50 Lb. White Offset Book or better or 110 Lb. White Index.

Carton labels require a GPO 905 label. Carton labels must include Title, Stock Number, Form Number, Control Number and Quantity. Labeling and Marking Specifications must be followed. Reproduce GPO 905 label (L&M Specs.) on () white, (X) yellow, () green, () pink stock. (20 # writing or equal).

PACKING: Pack in shipping containers not exceeding the dimensions listed below. Fully packed cartons must not exceed 70 Lbs. and have a bursting strength of 275 psi. Standard unit of issue product sizes should meet the following carton and pallet size criteria:

Height: 11 to 12-1/2 inches

Length: 11 to 11-1/2 inches

Width: 17-1/2 X 18 inches

Exceptions to the above dimensions would be lithographs and oversize publications.

PALLETS: Pallets are required for all destinations receiving 10 or more shipping containers. Failure to properly palletize may be cause for re-palletizing at contractor's expense. Pallets must meet the following requirements to be used with the Standard Warehouse Operating System in the distribution warehouse in St. Louis.

Length: 48 inches

Width: 40 inches

Entry: Three or four way

Material: Wood

NOTE: Uniform cartonization required ? cartons are to contain equal amounts of in each shipping carton. There may be one (1) carton with an odd amount, which will be placed on the top of the first skid with its lesser quantity clearly marked. Failure to properly cartonize unit-of-issue boxes and shipping cartons will result in refusal at the warehouse, and return to the printer for proper cartonizing and re-shipment at Contractor's expense.

Wrap in units of 100. Pack even qty's per shipping container.

DISTRIBUTION:

Department of the Army -- 12,500 labels (125 Pkgs)

US Army Services and Operations Agency -- Media Distribution Div.

1655 Woodson Road

St. Louis, MO 63114-6128

Return all Originals, including CDR disk, and 3 NEW samples BY TRACEABLE MEANS to: DAPS,
700 Robbins Ave., Bldg. 4D, Philadelphia, PA 19111-5094, MF: ATTN: Jim Cwikla, MF: OPNAV
5580/17B

FAILURE TO RETURN ALL GOVERNMENT FURNISHED MATERIAL AND DIGITAL FILE MY BE
CAUSE FOR DELAY IN ALL PAYMENTS.

Attachment(s): A is/part of this specification